

(2)

AD-A159 203

20000727276

The Structural Chemistry of Energetic Compounds

ONR Annual Report

Oct 1 1983 to Oct 1 1984

Richard Gilardi and Clifford George

Laboratory for the Structure of Matter

Code 6030

The Naval Research Laboratory

Washington, D.C. 20375

DTIC EDITION

This document has been approved  
for public release and sale; its  
distribution is unlimited.

Reproduced From  
Best Available Copy

DTIC  
ELECTED  
SEP 17 1985  
S D

85 09 13 008

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER N001484WR24060-1984A	2. GOVT ACCESSION NO. AD-A159203	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Structural Chemistry of Energetic Compounds		5. TYPE OF REPORT & PERIOD COVERED Annual Progress Report 1 October 1983-October 1984
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Richard Gilardi and Clifford George (Drs.)		8. CONTRACT OR GRANT NUMBER(s) N0001484WR24060
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Research Laboratory (Code 6030) Washington, D. C. 20375-5000		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61153N-RR024-02-01
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Code 432 Arlington, VA 22217		12. REPORT DATE
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)		13. NUMBER OF PAGES
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited		17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)
18. SUPPLEMENTARY NOTES Reproduction in whole or part is permitted for any purpose of the United States Government.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) X-ray diffraction; homocubane; oxetanes; nitropyrrole; nitramines; tetranitrobicyclooctane.		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Structural characterization of 12 energetic materials and precursors by x-ray diffraction was performed. The materials examined include: 6,6,10,10-tetranitropentacyclo[5.3.0 <sup>2,7</sup> .0 <sup>8,9</sup> ]decane; 2,6-Diamono-3,5-dinitro-1,4-pvrazine; 4,4,8,8-tetranitro-bicyclooctane; 2,3,4-Trinitropyrrole; 1,3,5-Trinitro-1,3,5-triazacyclohexane; 3,3-Bis(methyl-nitroaminomethyl)oxetane; 3,3-Bis(nitratomethyl)-oxetane; 3-Methoxy-2,4-dinitro-2,4-diazapentane; Tribenzyliatiazawurtzitane; 3-Cyano-4,4,5,5-tetramethylisoxazoline-n-oxide; (OVER)		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 68 IS OBSOLETE

S/N 0102-LF-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

*Cont'd*

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

C U M M

5-Aza-6-methoxyiracil; and N-(4-amino-1,2,5-triazolo)-N'-methoxy-trichloroacetimidine. The compounds studied range in density from 1.175 mg/mm<sup>3</sup> (tri-benzyl-triazawurtzitane) to 1.856 mg/mm<sup>3</sup> (tripropyrrole) and four have crystal densities in the range 1.717 to 1.856 mg/mm<sup>3</sup>. Original  
Supplied Keywords include:

See DD14731


Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
PTIC TAB	<input type="checkbox"/>
Announced	<input type="checkbox"/>
Justification	
Distribution/	
Availability Codes	
Avail and/or	
Pict	Special
A-1	

S/N 0102-LF-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

TABLE OF CONTENTS

	Page
1. Structural Diagrams	1
2. Individual Structure Reports	
(a) tetranitrobishomocubane	2
(b) 2,6-Diamino-3,5-dinitro-1,4-pyrazine	4
(c) 4,4,8,8-Tetranitrobucyclooctane	7
(d) 2,3,4-Trinitropyrrole	9
(e) 1,3,5-Trinitro-1,3,5-trizacyclohexane	11
(f) 3,3-Bis(methylnitroaminomethyl)oxetane	13
(g) 3,3-Bis(nitratomethyl)oxetane	15
(h) 3-methoxy-2,4-dinitro-2,4-diazapentane	17
(i) Tribenzyltriazawurtzitane	17
(j) 3-Cyano-4,4,5-tetramethylisoxazoline	20
(k) 5-Aza-6-methoxyuracil	20
(l) N-(4-Amino-1,2,5-triazolo)-N'-methoxy-trichloroacetamidine	23
3. Appendix A - Bond Distances and Angle Tables	



Structural diagrams of molecules included.

## Introduction


This report summarizes the work conducted under contract No. N0001484-WR24060 for the period Oct. 1, 1983 to Oct. 1, 1984 under the sponsorship of the Office of Naval Research, Code 432P (Dr. R. S. Miller). The task is to provide prompt structural characterization of new energetic compounds, or their synthetic precursors, developed in the ONR energetics materials synthesis program. The results of the investigations also provide structural parameters for energetic groups used to model hypothetical target compounds by methods of conformational energy analysis and quantum chemistry. This work is a continuation of previous work. Results of the examination of twelve energetic materials and precursors are included.

### a) Tetranitrobishomocubane

This polynitro cage compound was provided by A. P. Marchand and D. S. Reddy of North Texas State University. The material crystallized in the monoclinic space group  $Pc$ ,  $a = 7.751(1)\text{\AA}$ ,  $b = 11.500(2)$ ,  $c = 14.277(2)\text{\AA}$ , and  $\beta = 108.63(3)^\circ$ . The calculated density is  $1.717 \text{ Mg mm}^{-3}$ . In Fig. (1) the two molecules in the asymmetric unit are shown. The primary difference between the two molecules is the orientation of  $\text{NO}_2$  groups; corresponding C-C-N-O and O-N-C-N torsion angles have values that differ from one molecule to the other by amounts ranging from  $8$  to  $30^\circ$ . Bond distances and angles are given in Table (1). The primed molecule in Fig. (1) corresponds to Molecule 2 in Table (1).

There are no unusual intermolecular contacts and no hydrogen bonds, nearest contacts are  $O(2)'--H(3) = 2.488(33)\text{\AA}$  and  $O(6)--H(3)' = 2.673(31)\text{\AA}$ . The molecules pack with the oxygens of Molecule 1 opposing those of Molecule 2. Nearest O--O approaches are in the range of  $2.84$  to  $3.26\text{\AA}$  for each of the oxygen atoms in the asymmetric unit.

**Fig. (1)**



**Tetranitrobishomocubane**


$d = 1.717$

b) 2,6-Diamino-3,5-dinitro-1,4-pyrazine (ANPZ)

This compound is a very stable di-aza analog of 1,3,5-triamino-2,4,6-trinitrobenzene (TATB) and was provided by C. L. Coon of Lawrence Livermore Laboratories. The material crystallized in the monoclinic space group  $P2_1/c$ ,  $a = 9.030(1)\text{\AA}$ ,  $b = 12.977(1)\text{\AA}$ ,  $c = 6.405(1)\text{\AA}$ ,  $\beta = 100.76(1)^\circ$ . The calculated density is  $1.803 \text{ Mg mm}^{-3}$ . The molecule is shown in Fig. (2) and bond distances, bond angles, and selected torsion angles are given in Table (2) and (3). The molecules of ANPZ are essentially planar with a maximum deviation from a least squares plane through all atoms of  $0.07(1)\text{\AA}$ . The atom planes are coincident with the crystallographic  $Z = 1/4$  and  $3/4$  planes with an unusually close interplanar spacing of  $3.146\text{\AA}$ .

The graphite-like layers which have been observed in the crystal structures of both ANPZ & TATB are held together within each layer by intermolecular hydrogen bonds, and ANPZ, like TATB, decomposes before melting at temperatures greater than  $300^\circ\text{C}$ . It is also insoluble in most common solvents. In Fig. (3), which illustrates the hydrogen bonding, two of the hydrogen bonds are bifurcated; i.e., these two hydrogen atoms each participate in one intra- and one intermolecular H-bond. The other two hydrogen bonds are intermolecular with one being long ( $O-H = 2.49\text{\AA}$ ). While ANPZ has 2 fewer intermolecular H-bonds and a lower density than TATB, its similar thermal and solubility properties suggest that dipole/dipole and dipole-induced dipole interactions between layers may be important in explaining the extreme stability of this class of materials.


**Fig. (2)**



**2,6-Diamino-3,5-dinitro-1,4-pyrazine**

**$d = 1.803$**

**Fig. (3)**




**Crystal packing for ANPZ illustrating  
intermolecular hydrogen bonding**

c) 4,4,8,8-Tetranitrobicyclooctane.

This polynitroaliphatic compound was synthesized by K. Baum of Fluorochem, Inc., Azusa, California. The compound crystallized in the monoclinic space group  $P2_1$  with  $a = 9.631(1)\text{\AA}$ ,  $b = 11.539(2)\text{\AA}$ ,  $c = 10.205(1)\text{\AA}$ , and  $\beta = 105.31(1)^\circ$ . The calculated density is  $1.786 \text{ Mg mm}^{-3}$ . There are two chemically identical but crystallographically distinct molecules in the asymmetric unit; bond distances and angles for both are given in Table (4). Molecule 1 is shown in Fig. (4). Molecule 2 is similar in conformation, but exhibits a ring-pucker disorder. In approx. 30% of the unit cells, ring atom C(3)' takes an alternate position, C(3)"'. The dihedral angle between the O(2)'-C(3)'-O(4)' and the O(2)'-C(3)"'-O(4)' planes is  $68^\circ$ . The nitro groups bonded to C(4)' also occupy alternate positions. Torsion angle O(1a)'-N(1)'-C(4)'-C(5)' =  $23^\circ$ , while O(1a)"-N(1)"-C(4)"-C(5)' =  $35^\circ$  for the lower occupancy position. The relative orientation of the disordered nitro groups also changes, with the torsion angles O(1a)'-N(1)'-C(4)'-N(2)' =  $144.1$  and O(1a)"-N(1)"-C(4)'-N(2)" =  $92.1^\circ$ .

There are no unusual intermolecular contacts; nearest contacts are O(1b)'--H(7b) =  $2.50\text{\AA}$ , O(2b)--H(3a)' =  $2.56\text{\AA}$ , and O(2b)"--H(5)' =  $2.64\text{\AA}$ . The nearest nonhydrogen contact is O(2b)'--O(1a)' =  $2.73\text{\AA}$ .

Fig. (4)



4,4,8,8-Tetrinitrobicyclooctane


$d = 1.786$

d) 2,3,4-Trinitropyrrole

This polynitroheterocyclic compound was provided by J. C. Hinshaw of Morton Thiokol. This compound crystallized in the orthorhombic space group  $Pca2_1$  with  $a = 10.113(3)\text{\AA}$ ,  $b = 9.686(2)\text{\AA}$ , and  $c = 14.767(3)\text{\AA}$ . The calculated density is  $1.856 \text{ Mg mm}^{-3}$ . One of the two molecules in the asymmetric unit is shown in Fig. (5), and bond distances and angles are given in Table (5). In the crystal the ring nitrogen is in position 1 in both molecules of the asymmetric unit. Interchange of the C and N atoms between the chemically equivalent ring positions 1 and 5, however, affects the residual only modestly. Table (5) gives the bond distances and angles of each of the two molecules in the asymmetric unit as well as the average. The two molecules are observed to have a range of values for the individual bond distances and angles and large standard deviations while the average of the two is closer to the distances and angles normally expected, indicating a disorder with respect to the ring nitrogen site. The pyrrole ring is planar and the 2 and 4 nitro groups are very nearly coplanar with the ring while the plane of the 3-nitro group is perpendicular to the ring.

There are no unusual intermolecular contacts, nearest contacts are  $H(1)--O(8B)' = 2.34\text{\AA}$  and  $H(1)--O(7B)' = 2.42\text{\AA}$ .

**Fig. (5)**



**2,3,4-Trinitropyrrole**

**d = 1.856**


e) 1,3,5-Trinitroso-1,3,5-triazaacyclohexane

Crystals of this material, commonly known as R-salt, were supplied by J. Boyer of the University of Illinois at Chicago. The observed space group is  $P2_1/c$ , with  $a = 9.060(1)\text{\AA}$ ,  $b = 6.236(1)\text{\AA}$ ,  $c = 12.874(2)\text{\AA}$ , and  $\beta = 92.47(1)^\circ$ . The calculated density is  $1.573 \text{ Mg mm}^{-3}$ . Bond distances and angles are given in Table (6) with the molecular geometry shown in Fig. (6). Not shown in the figure are the disordered atoms. There is a multiple disorder of the nitroso group at N(5) and indications of a disorder of the nitroso group at N(1). The occupation percentages of the nitroso group at N(5) and its two disordered positions, N(1A)-O(11), N(1A)-O(11A), and N(1B)-O(11B), are 47%, 28% and 24%, respectively. In both major and minor forms of R-salt, the nitroso groups are all on one side of the chair shaped hexane ring. Aza nitrogens within the ring are pyramidal with the N-N vector making an angle in the range of  $8.5$  to  $13.5^\circ$  with the plane through the aza nitrogen and its two neighboring ring carbons except for the N(1A)-N(5) vector which is calculated at  $-2^\circ$  with respect to the C(6)-N(5)-C(4) plane.

There are no intermolecular contacts, nearest contacts are O(12B)--H(4A), O(12)--H(4A)' =  $2.55\text{\AA}$ , and O(10)--H(6A) =  $2.56\text{\AA}$ .

This material was also observed to crystallize in the trigonal space group  $R\bar{3}$  when grown from  $\text{CCl}_4$  or  $\text{CHCl}_3$ ,  $a = c = 36.340\text{\AA}$ ,  $b = 6.089\text{\AA}$ ,  $\gamma = 120^\circ$ . The solvent which is disordered occupies a channel along the  $\bar{3}$  axis.

**Fig. (6)**



**1,3,5-Trinitroso-1,3,5-triazacyclohexane**


**$d = 1.573$**

f) 3,3-Bis(methylnitroaminomethyl)oxetane

Interest in this compound stems from its potential use as a monomeric precursor in producing energetic polymers or copolymers. Crystals of the monomer were provided by G. Manser of Morton Thiokol. The space group is monoclinic,  $P2_1/c$ , with unit cell  $a = 14.106(4)\text{\AA}$ ,  $b = 6.472(2)\text{\AA}$ ,  $c = 11.963(3)\text{\AA}$ , and  $\beta = 99.50(1)^\circ$ , and a calculated density of  $1.444 \text{ Mg mm}^{-3}$ . Bond distances and angles are given in Table (7). Fig. (7) shows the molecular geometry and gives the numbering scheme. Table (7) also includes a selected set of torsion angles defining the geometry of the methylnitroaminomethyl arms. In this molecule the oxetane ring is puckered such that the dihedral angle between C(2)-C(3)-C(4) and the C(2)-O(1)-C(4) planes is  $20.6^\circ$ . Bonding for nitrogens N(7) and N(12) is pyramidal with the N-N vector making an angle of  $22.6$  and  $13.6^\circ$  with the N-C-C plane including the two methyl carbons.

Intermolecular contacts are at normal van der Waals separations. Nearest contacts are O(16)'—H(2B)' =  $2.44\text{\AA}$ , O(15)'—H(6B)' =  $2.63\text{\AA}$ , O(1)'—H(5B)' =  $2.64\text{\AA}$ , and H(13A)'—H(13A)' =  $2.58\text{\AA}$ .

**Fig. (7)**



**3,3-Bis(methylaminomethyl)oxetane**


**$d = 1.444$**

g) 3,3-Bis(nitratomethyl)oxetane

This energetic monomer, provided by G. Manser of Morton Thiokol, crystallizes in the space group C2/c with  $a = 15.120(4)$ ,  $b = 6.163(1)$ ,  $c = 12.958(4)\text{\AA}$ , and  $\beta = 132.76(2)^\circ$ . The calculated density is  $1.556 \text{ Mg mm}^{-3}$ . The bond distances, angles, and a selected set of torsion angles are given in Table (8). Fig. (8), drawn from experimental coordinates, gives the atom numbering system. The molecule has  $C_2$  symmetry about the cross ring O(1)--C(3) axis (coincident with the b crystal axis) so that only the unprimed atoms in Fig. (3) are independent. In this molecule the oxetane ring is planar. Orientation of the nitratomethyl arm with respect to the oxetane ring is defined by the torsion angles given in Table (8) as is the orientation of the nitrato group.

Intermolecular contacts are at normal van der Waals separations. Nearest contacts are H(4A)--O(3)' =  $2.68\text{\AA}$ , H(23)--O(7)' =  $2.71\text{\AA}$  and O(8)--H(4B)' =  $2.72\text{\AA}$ .

**Fig. (8)**



**3,3-Bis(nitratomethyl)oxetane**

**$d = 1.556$**

b) 3-Methoxy-2,4-dinitro-2,4-diazapentane

This compound was provided by H. Adolph of NSWC. The material crystallized in the monoclinic space group  $P2_1/c$ ,  $a = 7.964(1)$ ,  $b = 8.320(1)$ ,  $c = 14.767(2)\text{\AA}$ , and  $\beta = 119.73(1)^\circ$ . The calculated density is  $1.518 \text{ Mg mm}^{-3}$ . Bond distances, angles, and torsion angles are given in Table (9), and the atom numbering is given in Fig. (9). In this compound the amino nitrogens are nearly planar. The N-N vector makes an angle of  $1.0^\circ$  at N(2) with the C(1)-N(2)-C(3) plane and  $8.5^\circ$  at N(4) with the C(5)-N(4)-C(3) plane.


There are no unusual intermolecular contacts in this molecule.

Nearest approaches are H(1A)-H(1A)' =  $2.41(4)\text{\AA}$ , O(6B)-H(9A)' =  $2.57(3)\text{\AA}$ , O(7A)-H(9A)' =  $2.60(3)\text{\AA}$  and H(9c)-O(6B)' =  $2.64(3)\text{\AA}$ .

i) Tribenzyltriazawurtzitane

This cage compound was provided by A. Nielson, China Lake. It is a possible precursor of the hypothetical target compound hexa-azahexanitrowurtzitane; the target compound is a higher mol. wt. analog of RDX which is predicted to be 5-10% denser than RDX. The precursor material crystallized in the monoclinic space group  $P2_1/c$ , with  $a = 10.968(1)$ ,  $b = 11.965(1)$ ,  $c = 18.857(2)\text{\AA}$ , and  $\beta = 95.77(1)^\circ$ . The calculated density is  $1.175 \text{ Mg mm}^{-3}$ . Bond distances and angles are given in Table (10). The crystal is disordered (contains two conformations of the molecule). The major conformer (70% occupancy) is shown in Fig. (10). In the minor conformer, benzyl ring C is rotated to an alternate position, C' (30% occupancy). In this compound the aza nitrogens are pyramidal with an average angle between the N-methylene carbon vector and the C-N-C ring plane of  $40.8^\circ$ ; this is essentially tetrahedral ( $sp^3$ ) geometry.



Fig. (9)



**3-Methoxy-2,4-dinitro-2,4-diazapentane**

$d = 1.518$

**Fig. (10)**



**Tribenzyltriazawurtzitane**

**$d = 1.175$**

j) 3-Cyano-4,4,5,5-tetramethylisoxazoline-N-oxide

Crystals of this material were provided by J. Boyer of the University of Illinois at Chicago. This compound was synthesized from a starting material which contained a cyclopropane ring (an energetic moiety). During the nitration reaction, the three-membered ring opens, and a five-membered ring forms, incorporating two atoms of the nitro group.

The compound crystallizes in the orthorhombic space group  $Pna2_1$ ,  $a = 10.283(3)$ ,  $b = 12.389(4)$ , and  $c = 7.262(3)\text{\AA}$ . The calculated density is  $1.207 \text{ Mg mm}^{-3}$ . Bond distances and angles are given in Table (11) and the molecular geometry is illustrated in Fig. (11). The ring geometry is described by torsion angles  $O(1)-N(2)-N(3)-C(4) = 3.4(15)^\circ$ ,  $C(5)-C(4)-C(3)-N(2) = -20.6(1.3)^\circ$ , and  $C(3)-N(2)-O(1)-C(5) = 16.1(1.4)^\circ$ .



Intermolecular contacts at normal van der Waals separations. Nearest contacts are  $O(6)--H(7A)' = 2.69\text{\AA}$ .

k) 5-Aza-6-methoxyuracil

Samples of this material were provided by C. Coon of Lawrence Livermore Laboratory. The material crystallized in the monoclinic space group  $P2_1/c$ ,  $a = 9.994(5)\text{\AA}$ ,  $b = 4.316(1)\text{\AA}$ ,  $c = 15.891(8)\text{\AA}$ , and  $\beta = 115.4(3)^\circ$ . The calculated density is  $1.557 \text{ Mg mm}^{-3}$ . Bond distances and angles are given in Table (12) and the molecular geometry is shown in Fig. (12). The puckered triaza ring geometry is described by the selected list of torsion angles given in Table (12).

In this material each of the nitrogens participate in an intermolecular hydrogen bond; N(1) acts as a donor to  $O(6)'$ ,  $(1-x,y-.5,.5-z)$ , N(3) is a donor to  $O(2)'$ ,  $(1-x,-y,-z)$ , and N(5) is a donor to  $O(4)'$ ,  $(-x,y-.5,.5-z)$ . The respective  $H--O'$ ,  $N--O'$  distances and  $N-H--O$  angle are;  $2.08\text{\AA}$ ,  $2.82\text{\AA}$ , and  $145.2^\circ$ ,  $2.02\text{\AA}$ ,  $2.86\text{\AA}$ , and  $166.3^\circ$ , and  $2.01\text{\AA}$ ,  $2.81\text{\AA}$ , and  $157.2^\circ$ .

**Fig. (11)**





**3-Cyano-4,4,5,5-tetramethylisoxazoline-**

**N -oxide**

**d = 1.207**

Fig. (12)



**5-Aza-6-methoxyuracil**


**d = 1,557**

2) N-(4-amino-1,2,5-triazolo)-N'-methoxy-trichloracetamidine

Crystals of this material, provided by C. Coon of Lawrence Livermore Laboratory, formed in the monoclinic space group P2<sub>1</sub>/c,  $a = 9.287(1)\text{\AA}$ ,  $b = 9.493(1)\text{\AA}$ ,  $c = 13.208(2)\text{\AA}$ , and  $\beta = 108.47(1)^\circ$  with a calculated density of  $1.494 \text{ Mg m}^{-3}$ . Bond distances and angles are given in Table (13) as well as a selected set of torsion angles. Fig. (13) shows the molecular geometry and the atom numbering. In this compound the furazan ring is planar. Orientation of the methoxy and trichloracetamidine groups are described by the torsion angles given in Table (13).

There are no unusual intermolecular contacts, nearest contacts are N(2)—H(6)' = 2.30\AA, H(12B)—y(5)' = 2.37\AA, and H(12A)—N(8)' = 2.50\AA.

**Fig. (13)**



**N-(4-amino-1,2,5-triazolo)-N'-methoxy-  
trichloroacetamidine**

**$d = 1.494$**

## Appendix A

**Table (1)** Bond distances ( $\text{\AA}$ ) and angles (deg.) for Tetra-nitrobishomocubane with e.s.d.'s in parenthesis

	Molecule 1	Molecule 2
C(1)-C(4)	1.565(4)	1.564(4)
C(1)-C(6)	1.529(4)	1.529(4)
C(1)-C(9)	1.501(4)	1.516(4)
C(2)-C(3)	1.549(4)	1.552(4)
C(2)-C(7)	1.549(4)	1.554(4)
C(2)-C(9)	1.541(3)	1.524(4)
C(3)-C(4)	1.558(4)	1.561(4)
C(3)-C(10)	1.527(3)	1.519(3)
C(4)-C(5)	1.569(4)	1.571(4)
C(5)-C(6)	1.549(5)	1.547(4)
C(5)-C(8)	1.541(5)	1.535(5)
C(6)-C(7)	1.562(4)	1.569(4)
C(7)-C(8)	1.565(4)	1.566(4)
C(8)-C(10)	1.505(4)	1.504(4)
C(9)-N(1)	1.520(4)	1.517(4)
C(9)-N(2)	1.522(4)	1.521(4)
C(10)-N(3)	1.514(4)	1.534(4)
C(10)-N(4)	1.526(4)	1.513(4)
N(1)-O(1)	1.204(4)	1.196(5)
N(1)-O(2)	1.193(4)	1.202(5)
N(2)-O(3)	1.196(4)	1.188(5)
N(2)-O(4)	1.208(3)	1.175(4)
N(3)-O(5)	1.203(4)	1.181(4)
N(3)-O(6)	1.214(4)	1.187(4)
N(4)-O(7)	1.202(4)	1.202(4)
N(4)-O(8)	1.204(4)	1.205(4)
<u>Bond angles</u>		
C(4)-C(1)-C(6)	87.7(2)	87.5(2)
C(4)-C(1)-C(9)	103.8(2)	104.6(2)
C(6)-C(1)-C(9)	105.6(3)	104.8(3)
C(3)-C(2)-C(7)	99.7(2)	99.9(2)
C(3)-C(2)-C(9)	100.0(2)	101.4(2)
C(7)-C(2)-C(9)	104.2(2)	104.6(2)
C(2)-C(3)-C(4)	100.2(2)	100.0(2)
C(2)-C(3)-C(10)	103.5(2)	102.3(2)
C(4)-C(3)-C(10)	102.1(2)	102.5(2)
C(1)-C(4)-C(3)	105.2(2)	104.9(2)
C(1)-C(4)-C(5)	89.8(2)	90.2(2)
C(3)-C(4)-C(5)	103.7(2)	103.4(2)
C(4)-C(5)-C(6)	86.9(2)	86.6(2)
C(4)-C(5)-C(8)	103.0(2)	103.8(2)

	Molecule 1	Molecule 2
C(1)-C(6)-C(5)	91.9(2)	92.4(2)
C(1)-C(6)-C(7)	103.8(2)	104.1(2)
C(5)-C(6)-C(7)	87.0(2)	86.7(2)
C(2)-C(7)-C(6)	103.9(2)	102.9(2)
C(2)-C(7)-C(8)	105.5(2)	105.7(2)
C(6)-C(7)-C(8)	90.5(2)	90.3(2)
C(5)-C(8)-C(7)	87.2(2)	87.3(2)
C(5)-C(8)-C(10)	103.6(2)	103.6(2)
C(7)-C(8)-C(10)	106.1(2)	104.7(2)
C(1)-C(9)-C(2)	98.1(2)	97.7(2)
C(1)-C(9)-N(1)	113.4(3)	115.4(3)
C(1)-C(9)-N(2)	113.3(2)	111.2(2)
C(2)-C(9)-N(1)	112.3(2)	112.0(2)
C(2)-C(9)-N(2)	115.1(2)	114.8(3)
N(1)-C(9)-N(2)	104.9(2)	106.0(2)
C(3)-C(10)-C(8)	97.8(2)	99.0(2)
C(3)-C(10)-N(3)	112.4(2)	113.2(2)
C(3)-C(10)-N(4)	114.2(2)	111.6(2)
C(8)-C(10)-N(3)	112.7(2)	112.8(2)
C(8)-C(10)-N(4)	115.5(3)	115.7(2)
N(3)-C(10)-N(4)	104.6(2)	105.0(2)
O(1)-N(1)-C(9)	117.1(3)	117.3(3)
O(2)-N(1)-C(9)	117.7(3)	116.2(3)
O(1)-N(1)-O(2)	125.3(3)	126.5(3)
O(3)-N(2)-C(9)	116.0(2)	118.2(2)
O(4)-N(2)-C(9)	118.5(3)	117.7(3)
O(3)-N(2)-O(4)	125.4(3)	123.6(3)
O(5)-N(3)-C(10)	118.7(2)	118.2(2)
O(6)-N(3)-C(10)	116.8(3)	116.3(3)
O(5)-N(3)-O(6)	124.5(3)	125.4(3)
O(7)-N(4)-C(10)	117.8(3)	116.9(3)
O(8)-N(4)-C(10)	116.1(2)	117.6(2)
O(7)-N(4)-O(8)	126.1(3)	125.3(3)

## ANPZ

Table 2. Bond Lengths and Corrections for Libration\* ( $\text{\AA}$ ).

Bond	uncorrected	corrected	
N(1) - C(2)	1.334(3)	1.337	
N(1) - C(6)	1.336(3)	1.340	
C(2) - C(3)	1.438(3)	1.444	
C(5) - C(6)	1.439(3)	1.445	
C(2) - N(7)	1.319(3)	1.323	
C(6) - N(10)	1.326(3)	1.329	
C(3) - N(4)	1.305(3)	1.309	
C(5) - N(4)	1.311(3)	1.314	
C(3) - N(8)	1.458(3)	1.462	
C(5) - N(9)	1.441(3)	1.445	
N(8) - O(11)	1.217(3)	1.247**	
N(9) - O(14)	1.233(2)	1.264**	
N(8) - O(12)	1.216(2)	1.247**	
N(9) - O(13)	1.222(2)	1.253**	
N(7) - H7A	0.82(3)	N(7) - H10A	0.89(3)
N(10) - H7B	0.78(3)	N(10) - H10B	0.80(3)
Hydrogen bonds - Intermolecular			
N(10)...O(13)'	2.902(3)	H10A...O(13)'	2.02(3)
N(10)...O(12)'	2.986(3)	H10B...O(12)'	2.32(3)
N(7)...O(14)'	2.909(3)	H7A...O(14)'	2.32(3)
N(7)...O(12)"	3.221(3)	H7B...O(12)"	2.49(3)
Intramolecular			
N(10)...O(14)	2.652(3)	H10B...O(14)	2.06(3)
N(7)...O(11)	2.673(3)	H7A...O(11)	2.10(3)

\* The nitro oxygens did not fit an overall rigid-body model and their thermal factors were excluded from the libration/translation tensor determination. The method of Schomaker & Trueblood (1968) was used.

\*\* Nitro distances corrected by assuming riding-motion correlation approximation (Johnson, 1970).

## ANPZ

**Table 3.** Bond Angles (degrees). All unstated estimated standard deviations are  $0.2^\circ$ . Values in left and right columns are related by non-crystallographic molecular symmetry.

C(2)C(3)N(4)	122.1	C(6)C(5)N(4)	121.9
N(4)C(3)N(8)	115.3	N(4)C(5)N(9)	115.6
C(2)C(3)N(8)	122.6	C(6)C(5)N(9)	122.5
N(1)C(2)N(7)	116.8	N(1)C(6)N(10)	116.8
C(3)C(2)N(7)	124.7	C(5)C(6)N(10)	124.8
N(1)C(2)C(3)	118.5	N(1)C(6)C(5)	118.4
O(12)N(8)O(11)	122.3	O(13)N(9)O(14)	121.9
O(12)N(8)C(3)	119.3	O(13)N(9)C(5)	120.1
O(11)N(8)C(3)	118.4	O(14)N(9)C(5)	118.0
C(2)N(1)C(6))	120.4		
C(3)N(4)C(5)	118.7		

## Hydrogen Bond Angles

Intermolecular		Intramolecular	
N(10)H(10A)O13'	174(2)	N(10)H(10B)O(14)	130(2)
N(10)H(10B)O12'	141(2)	N(7)H(7A)O(11)	127(2)
N(7)H(7A)O14'	129(2)		
N(7)H(7B)O12"	156(3)		

Table (4). Bond distances (Å) and valence angles (deg.) for tetranitrobicyclooctane with e.s.d.'s in parentheses

<u>Bond Distances (Å)</u>	Molecule 1	Molecule 2	Disorder (Molecule 2)
C(1)-O(2)	1.423(4)	1.427(4)	-
O(2)-C(3)	1.413(4)	1.438(7)	1.360(17)
C(3)-C(4)	1.523(5)	1.538(6)	1.573(14)
C(4)-C(5)	1.520(6)	1.541(5)	-
C(5)-C(1)	1.524(4)	1.518(4)	-
C(5)-O(6)	1.430(4)	1.426(4)	-
O(6)-C(7)	1.420(5)	1.437(4)	-
C(7)-C(8)	1.521(4)	1.516(5)	-
C(8)-C(1)	1.529(5)	1.522(5)	-
C(4)-N(1)	1.508(5)	1.500(7)	1.563(13)
C(4)-N(2)	1.518(4)	1.481(6)	1.485(13)
C(8)-N(3)	1.522(5)	1.514(5)	-
C(8)-N(4)	1.505(5)	1.504(4)	-
N(1)-O(1A)	1.215(4)	1.195(8)	1.188(16)
N(1)-O(1B)	1.207(5)	1.192(11)	1.220(30)
N(2)-O(2A)	1.207(5)	1.215(7)	1.170(16)
N(2)-O(2B)	1.212(5)	1.215(9)	1.209(17)
N(3)-O(3A)	1.210(5)	1.199(5)	-
N(3)-O(3B)	1.215(5)	1.196(6)	-
N(4)-O(4A)	1.204(5)	1.216(5)	-
N(4)-O(4B)	1.210(5)	1.192(6)	-
<u>Bond Angles (deg.)</u>			
O(2)-C(1)-C(5)	107.3(2)	107.3(3)	-
C(5)-C(1)-C(8)	103.1(3)	103.1(3)	-
O(2)-C(1)-C(8)	109.4(3)	109.2(3)	-
C(1)-O(2)-C(3)	111.5(3)	110.9(3)	-
O(2)-C(3)-C(4)	104.5(3)	103.0(4)	104.9(10)
C(3)-C(4)-C(5)	104.2(3)	102.5(3)	102.0(7)
C(1)-C(5)-C(4)	103.2(3)	103.3(2)	-
C(1)-C(5)-O(6)	107.3(3)	107.7(3)	-
C(4)-C(5)-O(6)	109.3(2)	109.7(3)	-
C(5)-O(6)-C(7)	111.1(3)	110.1(2)	-
O(6)-C(7)-C(8)	104.4(3)	103.9(3)	-
C(1)-C(8)-C(7)	103.9(3)	103.7(3)	-
C(3)-C(4)-N(1)	109.9(3)	108.8(4)	107.8(3)
C(3)-C(4)-N(2)	114.8(3)	116.3(4)	113.7(8)
C(5)-C(4)-N(1)	111.4(3)	113.6(4)	109.9(5)
C(5)-C(4)-N(2)	110.8(3)	111.0(3)	116.4(6)
N(1)-C(4)-N(2)	105.9(3)	105.0(4)	106.8(7)
C(1)-C(8)-N(3)	110.1(3)	111.4(3)	-
C(1)-C(8)-N(4)	112.1(3)	111.1(3)	-
C(7)-C(8)-N(3)	110.4(3)	110.3(3)	-
C(7)-C(8)-N(4)	114.7(3)	114.2(3)	-
N(3)-C(8)-N(4)	105.7(3)	106.1(3)	-
C(4)-N(1)-O(1A)	114.4(3)	115.8(5)	117.6(12)

C(4)-N(1)-O(1B)	118.7(3)	117.8(8)	115.4(18)
O(1A)-N(1)-O(1B)	126.7(4)	126.2(9)	126.9(20)
C(4)-N(2)-O(2A)	117.9(3)	116.9(5)	112.9(14)
C(4)-N(2)-O(2B)	115.9(3)	120.2(5)	112.1(10)
O(2A)-N(2)-O(2B)	126.1(3)	122.9(6)	134.8(17)
C(8)-N(3)-O(3A)	118.7(3)	116.9(3)	-
C(8)-N(3)-O(3B)	115.1(3)	117.1(4)	-
O(3A)-N(3)-O(3B)	126.2(4)	126.0(4)	-
C(8)-N(4)-O(4A)	117.1(3)	115.1(4)	-
C(8)-N(4)-O(4B)	116.5(3)	118.4(3)	-
O(4A)-N(4)-O(4B)	126.4(4)	126.4(4)	-

Table (5). Bond distances (Å) and valence angles (deg.) for 2,3,4-trinitropyrrole with e.s.d.'s in parentheses

<u>Bond Distance (Å)</u>	<u>Molecule (1)</u>	<u>Molecule (2)</u>	<u>Average</u>
N(1)-C(2)	1.360(9)	1.386(10)	1.373
C(2)-C(3)	1.367(9)	1.383(9)	1.375
C(3)-C(4)	1.379(9)	1.423(10)	1.401
C(4)-C(5)	1.393(10)	1.351(11)	1.372
C(5)-N(1)	1.351(10)	1.339(10)	1.345
C(2)-N(6)	1.378(9)	1.434(9)	1.406
C(3)-N(7)	1.429(9)	1.461(8)	1.445
C(4)-N(8)	1.429(9)	1.430(9)	1.430
N(6)-O(6A)	1.198(8)	1.238(8)	1.218
N(6)-O(6B)	1.265(8)	1.148(8)	1.207
N(7)-O(7A)	1.249(8)	1.181(8)	1.215
N(7)-O(7B)	1.182(8)	1.216(8)	1.199
N(8)-O(8A)	1.180(8)	1.252(8)	1.216
N(8)-O(8B)	1.210(8)	1.233(8)	1.222

Bond Angles (deg.)

C(2)-N(1)-C(5)	109.2(6)	108.3(6)	108.8
N(1)-C(2)-C(3)	108.7(6)	108.9(6)	108.8
C(2)-C(3)-C(4)	106.7(6)	104.4(5)	105.6
C(3)-C(4)-C(5)	108.3(6)	109.0(6)	108.7
C(4)-C(5)-N(1)	106.5(7)	108.8(7)	107.7
N(1)-C(2)-N(6)	119.4(6)	124.3(6)	121.8
C(3)-C(2)-N(6)	131.8(6)	126.8(6)	129.3
C(2)-C(3)-N(7)	124.9(6)	127.1(6)	126.0
C(4)-C(3)-N(7)	128.4(6)	128.2(6)	128.3
C(3)-C(4)-N(8)	127.5(6)	125.7(7)	126.6
C(5)-C(4)-N(8)	124.0(6)	125.0(7)	124.5
C(2)-N(6)-O(6A)	121.7(6)	115.6(6)	118.7
C(2)-N(6)-O(6B)	115.5(6)	117.7(6)	116.6
C(3)-N(7)-O(7A)	116.7(6)	119.2(5)	117.9
C(3)-N(7)-O(7B)	121.0(6)	113.3(5)	117.2
C(4)-N(8)-O(8A)	119.2(6)	117.2(6)	118.2
C(4)-N(8)-O(8B)	117.6(6)	117.8(6)	117.7
O(6A)-N(6)-O(6B)	122.8(6)	126.7(7)	124.8
O(7A)-N(7)-O(7B)	122.4(6)	127.5(6)	124.9
O(8A)-N(8)-O(8B)	123.1(6)	124.9(6)	124.0

Table (6). Bond distances Å and angles for 1,3,5-Trinitroso-1,3,5-triazacyclohexane

N(1)-C(2)	1.428(3)	N(5)-N(11)	1.367(14)
N(1)-C(6)	1.460(3)	N(5)-N(11A)	1.357(11)
N(1)-N(7)	1.333(3)	N(5)-N(11B)	1.382(13)
C(2)-N(3)	1.431(4)	N(7)-O(8)	1.179(4)
N(3)-C(4)	1.444(4)	N(9)-O(10)	1.209(4)
N(3)-N(9)	1.352(4)	N(11)-O(12)	1.207(18)
C(4)-N(5)	1.444(5)	N(11A)-O(12A)	1.211(14)
N(5)-C(6)	1.449(4)	N(11B)-O(12B)	1.211(29)

Bond Angles

C(2)-N(1)-C(6)	117.7(2)	C(4)-N(5)-N(11B)	135.8(9)
C(2)-N(1)-C(7)	124.1(2)	C(6)-N(5)-N(11)	107.5(7)
C(6)-N(1)-N(7)	124.1(2)	C(6)-N(5)-N(11A)	144.2(5)
N(1)-C(2)-N(3)	109.0(2)	C(6)-N(5)-N(11B)	105.9(9)
C(2)-N(3)-C(4)	116.8(2)	N(1)-C(6)-N(5)	106.7(2)
C(2)-N(3)-N(9)	116.7(2)	N(1)-N(7)-O(8)	115.6(3)
C(4)-N(3)-N(9)	125.6(2)	N(3)-N(9)-O(10)	113.4(3)
N(3)-C(4)-N(5)	108.5(2)	N(5)-N(11)-O(12)	107.3(14)
C(4)-N(5)-C(6)	117.6(3)	N(5)-N(11A)-O(12A)	105.6(10)
C(4)-N(5)-N(11)	133.9(8)	N(5)-N(11B)-O(12B)	108.1(13)
C(4)-N(5)-N(11A)	98.1(5)		

Table (7). Bond distances (Å) and valence angles for 3,3-Bis (methylnitroaminomethyl) oxetane with e.s.d.'s in parentheses

Bond Lengths (Å)

O(1)-C(2)	1.443(3)	O(1)-C(4)	1.431(3)
C(2)-C(3)	1.531(3)	C(3)-C(4)	1.542(3)
C(3)-C(5)	1.515(2)	C(3)-C(6)	1.525(2)
C(5)-N(7)	1.462(2)	C(6)-N(12)	1.456(2)
N(7)-C(8)	1.447(2)	N(7)-N(9)	1.336(2)
N(9)-O(10)	1.231(2)	N(9)-O(11)	1.228(2)
N(12)-C(13)	1.452(3)	N(12)-N(14)	1.336(2)
N(14)-O(15)	1.235(3)	N(14)-O(16)	1.223(3)

Bond Angles (deg.)

C(2)-O(1)-C(4)	90.8(2)	O(1)-C(2)-C(3)	91.0(2)
C(2)-C(3)-C(4)	83.5(1)	C(2)-C(3)-C(5)	119.9(2)
C(4)-C(3)-C(5)	118.3(1)	C(2)-C(3)-C(6)	109.3(1)
C(4)-C(3)-C(6)	113.4(1)	C(5)-C(3)-C(6)	110.1(1)
O(1)-C(4)-C(3)	90.9(2)	C(3)-C(5)-N(7)	115.0(1)
C(3)-C(6)-N(12)	114.8(1)	C(5)-N(7)-C(8)	121.2(1)
C(5)-N(7)-N(9)	117.3(1)	C(8)-N(7)-N(9)	116.8(1)
N(7)-N(9)-O(10)	118.1(2)	N(7)-N(9)-O(11)	117.9(1)
O(10)-N(9)-O(11)	123.9(2)	C(6)-N(12)-C(13)	122.2(2)
C(6)-N(12)-N(14)	120.2(2)	C(13)-N(12)-N(14)	115.9(2)
N(12)-N(14)-O(15)	117.8(2)	N(12)-N(14)-O(16)	117.9(2)
O(15)-N(14)-O(16)	124.3(2)		

Torsion Angles (deg.)

C(2)-C(3)-C(5)-N(7)	-43.8(2)	C(5)-N(7)-N(9)-O(10)	-17.6(2)
C(6)-C(3)-C(5)-N(7)	-171.9(1)	C(6)-N(12)-N(14)-O(16)	7.5(2)
C(4)-C(3)-C(6)-N(12)	83.1(2)	C(3)-C(6)-N(12)-C(13)	94.2(2)
C(5)-C(3)-C(6)-N(12)	-52.0(2)	C(3)-C(5)-N(7)-C(8)	-105.2(2)

Table (8). Bond distances (Å) and valence angles for  
3,3-Bis(nitratomethyl)oxetane with e.s.d.'s in parentheses

<u>Bond Lengths (Å)</u>		<u>Bond Angles (deg.)</u>	
C(1)-C(2)	1.437(2)	C(2)-O(1)-C(2)'	91.6(2)
C(2)-C(3)	1.532(2)	O(1)-C(2)-C(3)	91.9(2)
C(3)-C(4)	1.514(3)	C(2)-C(3)-C(2)'	84.5(2)
C(4)-C(5)	1.454(2)	C(2)-C(3)-C(4)	115.9(1)
O(5)-N(6)	1.386(3)	C(4)-C(3)-C(4)'	112.0(2)
N(6)-O(7)	1.181(3)	C(3)-C(4)-O(5)	104.2(1)
N(6)-O(8)	1.196(2)	C(4)-O(5)-N(6)	113.7(1)
		O(5)-N(6)-O(7)	119.6(2)
		O(5)-N(6)-O(8)	111.2(2)
		O(7)-N(6)-O(8)	129.2(3)
<u>Torsion Angles (deg.)</u>			
C(4)-C(3)-C(2)-O(1)	113.0(2)	C(4)-O(5)-N(6)-O(7)	-0.1(3)
C(2)-C(3)-C(4)-O(5)	62.3(2)	C(4)-O(5)-N(6)-O(8)	179.6(3)
N(6)-O(5)-C(4)-C(3)	172.7(2)		

Table (9). Bond distances (Å) and valence angles (deg.) for  
3-Methoxy-2,4-dinitro-2,4-diazapentane.

<u>Bond Lengths (Å)</u>		<u>Bond Angles (deg.)</u>	
C(1)-N(2)	1.451(3)	N(2)-C(3)	1.466(2)
N(2)-N(6)	1.350(3)	C(3)-N(4)	1.446(2)
C(3)-O(8)	1.385(2)	N(4)-C(5)	1.446(2)
N(4)-N(7)	1.356(2)	N(6)-O(6A)	1.223(2)
N(6)-O(6B)	1.228(2)	N(7)-O(7B)	1.221(2)
N(7)-O(7A)	1.225(2)	O(8)-C(9)	1.440(2)
<u>Torsion Angles</u>			
C(1)-N(2)-C(3)-N(4)	125.2(2)	C(1)-N(2)-N(6)	117.9(2)
C(1)-N(2)-C(3)-O(8)	116.9(1)	N(2)-C(3)-N(4)	110.8(1)
N(2)-C(3)-O(8)	109.3(1)	N(4)-C(3)-O(8)	107.2(1)
C(3)-N(4)-C(5)	122.4(1)	C(3)-N(4)-N(7)	118.1(1)
C(5)-N(4)-N(7)	118.8(1)	N(2)-N(6)-O(6A)	118.1(2)
N(2)-N(6)-O(6B)	117.2(1)	O(6A)-N(6)-O(6B)	124.7(2)
N(4)-N(7)-O(7B)	118.6(1)	N(4)-N(7)-O(7A)	116.7(1)
O(7B)-N(7)-O(7A)	124.7(1)	C(3)-O(8)-C(9)	112.8(1)
C(1)-N(2)-C(3)-N(4)	93.4(2)	N(2)-C(3)-N(4)-N(7)	117.4(2)
C(1)-N(2)-C(3)-O(8)	-24.5(2)	O(8)-C(3)-N(4)-C(5)	66.2(2)
N(6)-N(2)-C(3)-N(4)	-85.6(2)	O(8)-C(3)-N(4)-N(7)	-123.4(2)
N(6)-N(2)-C(3)-O(8)	156.4(2)	N(2)-C(3)-O(8)-C(9)	-78.4(1)
C(1)-N(2)-N(6)-O(6A)	-177.2(1)	N(4)-C(3)-O(8)-C(9)	161.5(1)
C(1)-N(2)-N(6)-O(6B)	3.2(2)	C(3)-N(4)-N(7)-O(7B)	15.1(3)
C(3)-N(2)-N(6)-O(6A)	2.0(2)	C(3)-N(4)-N(7)-O(7A)	-165.8(2)
C(3)-N(2)-N(6)-O(6B)	-177.7(1)	C(5)-N(4)-N(7)-O(7B)	-174.2(2)
N(2)-C(3)-N(4)-C(5)	-52.9(2)	C(5)-N(4)-N(7)-O(7A)	4.9(3)

Table (10). Bond distances (Å) and valence angles (deg.) for tri-benzyltriazawurtzitane with e.s.d.'s in parentheses

Bond Distances (Å)

N(1)-C(2)	1.1463(2)	C(8)-C(9)	1.515(3)
N(1)-C(6)	1.471(2)	C(9)-C(10)	1.523(3)
C(2)-N(3)	1.466(2)	C(10)-C(11)	1.528(3)
C(2)-C(9)	1.563(3)	C(11)-C(12)	1.525(3)
N(3)-C(4)	1.467(2)	N(1)-C(7A)	1.449(2)
C(4)-N(5)	1.459(2)	N(3)-C(7B)	1.448(2)
C(4)-C(11)	1.568(3)	N(5)-C(7C)	1.453(2)
N(5)-C(6)	1.469(2)	C(7A)-C(1A)	1.515(3)
C(6)-C(7)	1.566(3)	C(7B)-C(1B)	1.505(3)
C(7)-C(8)	1.530(3)	C(7C)-C(1C)	1.557(3)
C(7)-C(12)	1.516(3)	C(7C')-C(1C')	1.414(6)
Benzene ring distances			
C(1)-C(2)	1.381(3)		1.369(3)
C(1)-C(6)	1.381(3)		1.378(3)
C(2)-C(3)	1.373(3)	Ring A	1.387(4)
C(3)-C(4)	1.368(4)		1.383(5)
C(4)-C(5)	1.367(4)		1.355(5)
C(5)-C(6)	1.392(4)		1.371(4)

\* Rings C and C' fixed at C-C 1.395 and C-C-C = 120°.

Bond Angles (deg.)

C(2)-N(1)-C(6)	108.4(1)	N(5)-C(6)-C(7)	107.5(1)
C(2)-N(1)-C(7A)	113.6(1)	C(6)-C(7)-C(8)	110.0(1)
C(6)-N(1)-C(7A)	116.8(1)	C(6)-C(7)-C(12)	110.0(2)
N(1)-C(2)-N(3)	108.2(1)	C(8)-C(9)-C(12)	108.7(2)
N(1)-C(2)-C(9)	108.1(1)	C(7)-C(8)-C(9)	107.5(2)
N(3)-C(2)-C(9)	114.6(1)	C(2)-C(9)-C(8)	110.0(2)
C(2)-N(3)-C(4)	108.8(1)	C(2)-C(9)-C(10)	109.7(2)
C(2)-N(3)-C(7B)	118.8(1)	C(8)-C(9)-C(10)	109.0(2)
C(4)-N(3)-C(7B)	117.7(1)	C(9)-C(10)-C(11)	107.3(2)
N(3)-C(4)-N(5)	109.1(1)	C(4)-C(11)-C(10)	110.6(2)
N(3)-C(4)-C(11)	113.4(1)	C(4)-C(11)-C(12)	109.4(2)
N(5)-C(4)-C(11)	108.1(1)	C(10)-C(11)-C(12)	108.7(2)
C(4)-N(5)-C(6)	108.3(1)	C(7)-C(12)-C(11)	107.6(2)
C(4)-N(5)-C(7C)	113.7(1)	N(1)-C(7A)-C(1A)	111.7(1)
C(6)-N(5)-C(7C)	116.5(1)	N(3)-C(7B)-C(1B)	113.1(2)
N(1)-C(6)-N(5)	115.3(1)	N(5)-C(7C)-C(1C)	108.1(2)
N(1)-C(6)-C(7)	107.7(1)	N(5)-C(7C)-C(1C')	121.9(3)

Table (11). Bond distances (Å) and valence angles for 3-Cyano-4,4,5,5-tetramethylisoxazoline-N-oxide with e.s.d.'s in parentheses

Bond distances (Å)

O(1)-N(2)	1.390(15)	C(4)-C(5)	1.532(16)
O(1)-C(5)	1.511(15)	C(4)-C(7)	1.552(16)
N(2)-C(3)	1.302(18)	C(4)-C(8)	1.520(14)
N(2)-O(6)	1.238(15)	C(5)-C(9)	1.480(19)
C(3)-C(4)	1.511(17)	C(5)-C(10)	1.539(16)
C(3)-C(11)	1.416(20)	C(11)-N(12)	1.148(21)

Bond Angles (deg.)

H(2)-O(1)-C(5)	105.4(9)	C(5)-C(4)-C(7)	111.4(8)
O(1)-N(2)-C(3)	111.5(11)	C(5)-C(4)-C(8)	114.9(9)
O(1)-N(2)-O(6)	117.8(10)	C(7)-C(4)-C(8)	109.9(9)
C(3)-N(2)-O(6)	130.7(12)	C(4)-C(5)-O(1)	103.0(11)
N(2)-C(3)-C(4)	112.1(11)	C(4)-C(5)-C(9)	116.6(10)
N(2)-C(3)-C(11)	120.4(13)	C(4)-C(5)-C(10)	117.1(11)
C(4)-C(3)-C(11)	127.2(11)	O(1)-C(5)-C(9)	104.3(10)
C(3)-C(4)-C(5)	98.9(9)	O(1)-C(5)-C(10)	102.7(9)
C(3)-C(4)-C(7)	112.0(9)	C(9)-C(5)-C(10)	110.7(12)
C(3)-C(4)-C(8)	109.3(7)	C(3)-C(11)-N(12)	179.0(15)

Table (12). Bond distances (Å) and valence angles for 5-aza-6-methoxyuracile with e.s.d.'s in parentheses

Bond Distance (Å)

N(1)-C(2)	1.352(4)	C(4)-N(5)	1.350(5)
N(1)-C(6)	1.435(5)	C(4)-O(4)	1.277(5)
C(2)-N(3)	1.366(5)	N(5)-C(6)	1.424(5)
C(2)-O(2)	1.225(3)	C(6)-O(6)	1.428(4)
N(3)-C(4)	1.374(4)	O(6)-C(7)	1.445(3)

Bond Angles (deg.)

C(2)-N(1)-C(6)	121.7(3)	O(4)-C(4)-N(5)	124.1(3)
N(1)-C(2)-N(3)	115.1(2)	C(4)-N(5)-C(6)	122.4(3)
N(1)-C(2)-O(2)	122.1(3)	N(1)-C(6)-N(5)	109.4(3)
O(2)-C(2)-N(3)	122.7(3)	N(1)-C(6)-O(6)	107.1(3)
C(2)-N(3)-C(4)	125.2(3)	N(5)-C(6)-O(6)	112.4(3)
N(3)-C(4)-N(5)	114.5(3)	C(6)-O(6)-C(7)	113.8(2)
N(3)-C(4)-O(4)	121.4(3)		

Torsion Angles

N(1)-C(6)-N(5)-C(4)	-36.5(4)	O(2)-C(2)-N(3)-C(4)	157.4(3)
O(6)-C(6)-N(5)-C(4)	82.4(3)	C(2)-N(3)-C(4)-N(5)	11.0(5)
N(5)-C(6)-O(6)-C(7)	69.4(3)	N(3)-C(4)-N(6)-C(6)	15.5(4)
C(6)-N(1)-C(2)-N(3)	-13.9(5)		

**Table (13).** Bond distances ( $\text{\AA}$ ) and valence angles (deg.) for  
N-(4-amino-1,2,5-triazolo)-N'-methoxy-trichloroacetamidine  
with e.s.d.'s in parentheses

Bonds Distances ( $\text{\AA}$ )

O(1)-N(2)	1.382(3)	C(7)-C(11)	1.525(5)
O(1)-N(5)	1.402(3)	C(8)-O(9)	1.396(4)
N(2)-C(3)	1.301(4)	O(9)-C(10)	1.411(5)
C(3)-C(4)	1.435(4)	C(11)-CL(1)	1.766(3)
C(3)-N(6)	1.377(4)	C(11)-CL(2)	1.768(3)
C(4)-N(5)	1.306(4)	C(11)-CL(3)	1.752(3)
C(4)-N(12)	1.360(4)		
N(6)-C(7)	1.34(4)		
C(7)-N(8)	1.273(4)		

Bond Angles (deg.)

N(5)-O(1)-N(2)	110.2(2)	C(7)-N(8)-O(9)	110.8(2)
O(1)-N(2)-C(3)	106.1(2)	N(8)-O(9)-C(10)	110.6(3)
N(2)-C(3)-C(4)	109.4(3)	C(7)-C(11)-CL(1)	110.2(2)
N(2)-C(3)-N(6)	121.6(2)	C(7)-C(11)-CL(2)	108.5(2)
C(4)-C(3)-N(6)	128.7(3)	C(7)-C(11)-CL(3)	111.7(3)
C(3)-C(4)-N(5)	108.7(2)	CL(1)-C(11)-CL(2)	108.7(2)
C(3)-C(4)-N(12)	123.1(3)	CL(2)-C(11)-CL(3)	109.1(2)
N(5)-C(4)-N(12)	123.1(3)	CL(3)-C(11)-CL(1)	108.4(2)
C(4)-N(5)-O(1)	105.7(2)		
C(3)-N(6)-C(7)	124.3(3)		
N(6)-C(7)-N(8)	127.6(3)		
N(6)-C(7)-C(11)	115.0(3)		
N(8)-C(7)-C(11)	117.2(3)		

Torsion Angles

O(1)-N(2)-C(3)-N(6)	172.7(3)	C(3)-N(6)-C(7)-C(11)	147.1(3)
C(7)-N(6)-C(3)-C(4)	-44.0(5)	N(6)-C(7)-N(8)-O(9)	-5.2(4)
C(3)-N(6)-C(7)-N(8)	-29.0(5)	C(11)-C(7)-N(8)-O(9)	178.8(2)

(SYN)

DISTRIBUTION LIST

Dr. R.S. Miller  
Office of Naval Research  
Code 432P  
Arlington, VA 22217  
(10 copies)

Dr. A.L. Slafkosky  
Scientific Advisor  
Commandant of the Marine Corps  
Code RD-1  
Washington, DC 20380

JHU Applied Physics Laboratory  
ATTN: CPIA (Mr. T.W. Christian)  
Johns Hopkins Rd.  
Laurel, MD 20707

Dr. Kenneth D. Hartman  
Hercules Aerospace Division  
Hercules Incorporated  
Alleghany Ballistic Lab  
P.O. Box 210  
Washington, DC 21502

Mr. Otto K. Heiney  
AFATL-DLJC  
Elgin AFB, FL 32542

Dr. Merrill K. King  
Atlantic Research Corp.  
5390 Cherokee Avenue  
Alexandria, VA 22312

Dr. R.L. Lou  
Aerojet Strategic Propulsion Co.  
Bldg. 05025 - Dept 5400 - MS 167  
P.O. Box 15699C  
Sacramento, CA 95813

Dr. R. Olsen  
Aerojet Strategic Propulsion Co.  
Bldg. 05025 - Dept 5400 - MS 167  
P.O. Box 15699C  
Sacramento, CA 95813

Dr. J. Pastine  
Naval Sea Systems Command  
Code 06R  
Washington, DC 20362

Dr. Henry P. Marshall  
Dept. 93-50, Bldg 204  
Lockheed Missile & Space Co.  
3251 Hanover St.  
Palo Alto, CA 94304

Dr. Ingo W. May  
Army Ballistic Research Lab.  
ARRADCOM  
Code DRXBR - 1BD  
Aberdeen Proving Ground, MD 21005

Dr. R. McGuire  
Lawrence Livermore Laboratory  
University of California  
Code L-324  
Livermore, CA 94550

P.A. Miller  
736 Leavenworth Street, #6  
San Francisco, CA 94109

Dr. W. Moniz  
Naval Research Lab.  
Code 6120  
Washington, DC 20375

Dr. K.F. Mueller  
Naval Surface Weapons Center  
Code R11  
White Oak  
Silver Spring, MD 20910

Prof. M. Nicol  
Dept. of Chemistry & Biochemistry  
University of California  
Los Angeles, CA 90024

(SYN)

DISTRIBUTION LIST

Dr. Randy Peters  
Aerojet Strategic Propulsion Co.  
Bldg. 05025 - Dept 5400 - MS 167  
P.O. Box 15699C  
Sacramento, CA 95813

Dr. D. Mann  
U.S. Army Research Office  
Engineering Division  
Box 12211  
Research Triangle Park, NC 27709-2211

Mr. R. Geisler  
ATTN: DY/MS-24  
AFRPL  
Edwards AFB, CA 93523

Naval Air Systems Command  
ATTN: Mr. Bertram P. Sobers  
NAVAIR-320G  
Jefferson Plaza 1, RM 472  
Washington, DC 20361

R.B. Steele  
Aerojet Strategic Propulsion Co.  
P.O. Box 15699C  
Sacramento, CA 95813

Mr. M. Stosz  
Naval Surface Weapons Center  
Code R10B  
White Oak  
Silver Spring, MD 20910

Mr. E.S. Sutton  
Thiokol Corporation  
Elkton Division  
P.O. Box 241  
Elkton, MD 21921

Dr. Grant Thompson  
Morton Thiokol, Inc.  
Wasatch Division  
MS 240 P.O. Box 524  
Brigham City, UT 84302

Mr. L. Roslund  
Naval Surface Weapons Center  
Code R10C  
White Oak, Silver Spring, MD 20910

Dr. David C. Sayles  
Ballistic Missile Defense  
Advanced Technology Center  
P.O. Box 1500  
Huntsville, AL 35807

Director  
US Army Ballistic Research Lab.  
ATTN: DRXER-IBD  
Aberdeen Proving Ground, MD 21005

Commander  
US Army Missile Command  
ATTN: DRSMI-RKL  
Walter W. Wharton  
Redstone Arsenal, AL 35898

T. Yee  
Naval Weapons Center  
Code 3265  
China Lake, CA 93555

Dr. E. Zimet  
Office of Naval Technology  
Code 071  
Arlington, VA 22217

Dr. Ronald L. Derr  
Naval Weapons Center  
Code 389  
China Lake, CA 93555

T. Boggs  
Naval Weapons Center  
Code 389  
China Lake, CA 93555

Lee C. Estabrook, P.E.  
Morton Thiokol, Inc.  
P.O. Box 30058  
Shreveport, LA 71130

(SYN)

DISTRIBUTION LIST

Dr. R.F. Walker  
Chief, Energetic Materials Division  
DRSMC-LCE (D), B-3022  
USA ARDC  
Dover, NJ 07801

Dr. Janet Wall  
Code 012  
Director, Research Administration  
Naval Postgraduate School  
Monterey, CA 93943

R.E. Shenton  
Atlantic Research Corp.  
7511 Wellington Road  
Gainesville, VA 22065

Mike Barnes  
Atlantic Research Corp.  
7511 Wellington Road  
Gainesville, VA 22065

Dr. Lionel Dickinson  
Naval Explosive Ordnance  
Disposal Tech. Center  
Code D  
Indian Head, MD 20340

Prof. J.T. Dickinson  
Washington State University  
Dept. of Physics 4  
Pullman, WA 99164-2814

M.H. Miles  
Dept. of Physics  
Washington State University  
Pullman, WA 99164-2814

Dr. T.F. Davidson  
Vice President, Technical  
Morton Thiokol, Inc.  
Aerospace Group  
110 North Wacker Drive  
Chicago, IL 60606

Dr. D.D. Dillehay  
Morton Thiokol, Inc.  
Longhorn Division  
Marshall, TX 75670

G.T. Bowman  
Atlantic Research Corp.  
7511 Wellington Road  
Gainesville, VA 22065

Brian Wheatley  
Atlantic Research Corp.  
7511 Wellington Road  
Gainesville, VA 22065

Mr. G. Edwards  
Naval Sea Systems Command  
Code 62R32  
Washington, DC 20362

C. Dickinson  
Naval Surface Weapons Center  
White Oak, Code R-13  
Silver Spring, MD 20910

Prof. John Deutch  
MIT  
Department of Chemistry  
Cambridge, MA 02139

Dr. E.H. deButts  
Hercules Aerospace Co.  
P.O. Box 27408  
Salt Lake City, UT 84127

David A. Flanigan  
Director, Advanced Technology  
Morton Thiokol, Inc.  
Aerospace Group  
110 North Wacker Drive  
Chicago, IL 60606

(SYN)

DISTRIBUTION LIST

Mr. J. Consaga  
Naval Surface Weapons Center  
Code R-16  
Indian Head, MD 20640

Naval Sea Systems Command  
ATTN: Mr. Charles M. Christensen  
NAVSEA62R2  
Crystal Plaza, Bldg. 6, Rm 806  
Washington, DC 20362

Mr. R. Beauregard  
Naval Sea Systems Command  
SEA 64E  
Washington, DC 20362

Dr. Anthony J. Matuszko  
Air Force Office of Scientific Research  
Directorate of Chemical & Atmospheric  
Sciences  
Bolling Air Force Base  
Washington, DC 20332

Dr. Michael Chaykovsky  
Naval Surface Weapons Center  
Code R11  
White Oak  
Silver Spring, MD 20910

J.J. Rocchio  
USA Ballistic Research Lab.  
Aberdeen Proving Ground, MD 21005-5066

G.A. Zimmerman  
Aerojet Tactical Systems  
P.O. Box 13400  
Sacramento, CA 95813

B. Swanson  
INC-4 MS C-346  
Los Alamos National Laboratory  
Los Alamos, NM 87545

Dr. L.H. Caveny  
Air Force Office of Scientific  
Research  
Directorate of Aerospace Sciences  
Bolling Air Force Base  
Washington, DC 20332

W.G. Roger  
Code 5253  
Naval Ordnance Station  
Indian Head, MD 20640

Dr. Donald L. Bell  
Air Force Office of Scientific  
Research  
Directorate of Chemical &  
Atmospheric Sciences  
Bolling Air Force Base  
Washington, DC 20332

Dr. H.G. Adolph  
Naval Surface Weapons Center  
Code R11  
White Oak  
Silver Spring, MD 20910

U.S. Army Research Office  
Chemical & Biological Sciences  
Division  
P.O. Box 12211  
Research Triangle Park, NC 27709

G. Butcher  
Hercules, Inc.  
MS X2H  
P.O. Box 98  
Magna, Utah 84044

W. Waesche  
Atlantic Research Corp.  
7511 Wellington Road  
Gainesville, VA 22065

(SYN)

DISTRIBUTION LIST

Dr. James T. Bryant  
Naval Weapons Center  
Code 3205B  
China Lake, CA 93555

Dr. L. Rothstein  
Assistant Director  
Naval Explosives Dev. Engineering Dept.  
Naval Weapons Station  
Yorktown, VA 23691

Dr. M.J. Kamlet  
Naval Surface Weapons Center  
Code R11  
White Oak, Silver Spring, MD 20910

Dr. Henry Webster, III  
Manager, Chemical Sciences Branch  
ATTN: Code 5063  
Crane, IN 47522

Dr. R.S. Valentini  
United Technologies Chemical Systems  
P.O. Box 50015  
San Jose, CA 95150-0015

Administrative Contracting  
Officer (see contract for  
address)  
(1 copy)

Defense Technical Information Center  
Bldg. 5, Cameron Station  
Alexandria, VA 22314  
(12 copies)

Arpad Junasz  
Code DRDAR-IBD  
Ballistic Research Lab  
Aberdeen, MD 21005

Mr. C. Gotzmer  
Naval Surface Weapons Center  
Code R-11  
White Oak  
Silver Spring, MD 20910

Dr. John S. Wilkes, Jr.  
FJSRL/NC  
USAF Academy, CO 80840

Dr. H. Rosenwasser  
Naval Air Systems Command  
AIR-320R  
Washington, DC 20361

Dr. A. Nielsen  
Naval Weapons Center  
Code 385  
China Lake, CA 93555

Dr. Joyce J. Kaufman  
The Johns Hopkins University  
Department of Chemistry  
Baltimore, MD 21218

Dr. J.R. West  
Morton Thiokol, Inc.  
P.O. Box 30058  
Shreveport, LA 71130

Director  
Naval Research Laboratory  
Attn: Code 2627  
Washington, DC 20375  
(6 copies)

Dr. Robert J. Schmitt  
SRI International  
333 Ravenswood Avenue  
Menlo Park, CA 94025

Dr. Michael D. Coburn  
Los Alamos National Lab  
M-1, Explosives Technology  
Mail Stop, C920  
Los Alamos, NM 87545

(SYN)

DISTRIBUTION LIST

Dr. G. Neece  
Office of Naval Research  
Code 413  
Arlington, VA 22217

Mr. C.M. Havlik  
0/83-10, B/157-3W.  
Lockheed Missiles & Space Co., Inc.  
P.O. Box 504  
Sunnyvale, CA 94086

Dr. Philip Howe  
Ballistic Research Laboratory  
Code DRXBR-TBD  
Aberdeen Proving Ground, MD 21005

Prof. C. Sue Kim  
Department of Chemistry  
California State University, Sacramento  
Sacramento, California 95819

Mr. J. Moniz  
Naval Ordnance Station  
Code 5253L  
Indian Head, MD 20640

Dr. R. Reed Jr.  
Naval Weapons Center  
Code 38904  
China Lake, CA 93555

L.H. Sperling  
Materials Research Center #32  
Lehigh University  
Bethlehem, PA 18015

Dr. Kurt Baum  
Fluorochem, Inc.  
680 South Ayon Ave.  
Azusa, CA 91702

Dr. Andrew C. Victor  
Naval Weapons Center  
Code 3208  
China Lake, CA 93555

Dr. J.C. Hinshaw  
Morton Thiokol Inc.  
P.O. Box 524  
Mail Stop 240  
Brigham City, Utah 84302

Dr. V.J. Keenan  
Anal-Syn Lab. Inc.  
P.O. Box 547  
Paoli, PA 19301

G.E. Manser  
Morton Thiokol  
Wasatch Division  
P.O. Box 524  
Brigham City, Utah 84302

P. Politzer  
Chemistry Department  
University of New Orleans  
New Orleans, Louisiana 70148

Mr. David Siegel  
Office of Naval Research  
Code 253  
Arlington, VA 22217

Dr. Rodney L. Willer  
Morton Thiokol, Inc.  
P.O. Box 241  
Elkton, MD 21921

Dr. R. Atkins  
Naval Weapons Center  
Code 3852  
China Lake, CA 93555

(SFT)

DISTRIBUTION LIST

Prof. J.H. Boyer  
University of Illinois  
Department of Chemistry  
Box 4348  
Chicago, Illinois 60680

Prof. J.C. Chien  
University of Massachusetts  
Department of Chemistry  
Amherst, MA 01003

Dr. B. David Halpern  
Polysciences, Inc.  
Paul Valley Industrial Park  
Warrington, PA 18976

Dr. M.S. Frankel  
Rockwell International  
Rocketdyne Division  
4633 Canoga Avenue  
Canoga Park, CA 91304

Dr. R.A. Earl  
Hercules, Inc.  
Magna, Utah 84109

Mr. C. Bedford  
SRI International  
3211 Pennewood Avenue  
Menlo Park, CA 94025

Dr. Robert R. Ryan  
INC-4, MS C346  
Los Alamos National Laboratory  
Los Alamos, New Mexico 87545

Dr. Robert D. Chapman  
AFRL/LKLR  
Edwards AFB, CA 93525

Dr. L. Erwin  
MIT  
Room 35-003  
Cambridge, MA 02139

Dr. M. Farber  
Space Sciences, Inc.  
135 W. Maple Avenue  
Menlovia, CA 91016

Dr. W.E. Graham  
Morton Thiokol, Inc.  
Hunstville Division  
Hunstville, AL 35807-7501

Dr. C. Coon  
Lawrence Livermore Lab.  
University of California  
P.O. Box 808  
Livermore, CA 94550

Dr. R. Gilardi  
Naval Research Laboratory  
Code 6030  
Washington, DC 20375

Dr. Alan Marchand  
Dept. of Chemistry  
North Texas State University  
NTSU Station, Box 3068  
Denton, Texas 76202

T.B. Brill  
Department of Chemistry  
University of Delaware  
Newark, Delaware 19715

Dr. A.A. Defusco  
Code 3852  
Naval Weapons Center  
China Lake, CA 93555

Dr. Richard A. Hollins  
Naval Weapons Center  
Code 3853  
China Lake, CA 93555

Dr. R. Armstrong  
MIT  
Room 66-305  
Cambridge, MA 02139

Professor Philip E. Eaton  
Department of Chemistry  
University of Chicago  
5735 South Ellis Avenue  
Chicago, IL 60637